

MOTOR VEHICLE RECORD OF INSPECTION

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Vehicle Info	ormatio	n														
VIN 3	G	T	P	2	W	E	7	X	С	G	2	9	0	9	1	3
1	Mak	е	<u> </u>	<u></u>	<u> </u>	<u> </u>	Model	<u> </u>	100000000		Yea	ır		Odo	ometer	Į
	GM	С					Sierra				201	2		20	0677	
Customer I	nforma	tion		<u> </u>										77 - 40		
in the special control of the special	var er er varanssen knære	olar i karawa empirana	NA THE OF PART THEORY SAID CONT.	OUT THE WARE T				1 602 (VALOR II VA	THE AND LEW WITH TAKEN THE	MANAGEMENT CONTRACTOR OF THE	TOTAL BOOK AND	or the state with the state of			On the state of the second and the s	pre
									•							
						Sec	tion 1 - l		ection							
		Compo	nent				PFI	IA .			Compon	ent			P	F NA
1.1a. Request	for Inspec	tion (RF	1)				/	1.3c.	Vehicle V	Vanders o	r Pulls				√	
1.1b. Vehicle /	Accurately	Describ	ed On Th	e RFI			/	1.3d.	Brake Sy	stem Per	formance				✓	
1.2a. VIN Plate	e Conditio	n					/	1.3e.	Driveabil	ity					✓	
1.2b. VIN Con	sistent Wi	th RFI		· · · · · · · · · · · · · · · · · · ·				1.3f.	Speedom	eter Oper	ation				✓	
1.3a. CV Joint	Road Tes	t Result				,		1.3g.	Odomete	r (if equip	ped) Ope	eration			/	
1.3b. Universa	I Joint Ro	ad Test I	Result			1	/									

NOTES:

Section	n 2 - Onbo	ard Diagnostic Systems	
Component	PF	NA Component	P F NA
2.1a. PCM Codes Present	4	2.4b. SRS Lamp Fails To Illuminate	
2.1b. PCM (MIL, SES, etc) Lamp Fails To Illuminate	4	2.4c. SRS Lamp Remains Illuminated	√
2.2a. ABS Codes Present	1	2.4d. Airbag(s) Present	
2.2b. ABS Lamp Fails to Illuminate	/	2.4e. Airbag Cover Integrity	V
2.2c. ABS Lamp Remains Illuminated		2.5. Electronic Stability Control (ESC)	/
2.3a. Brake System Warning Lamp Fails to Illuminate	✓	2.6. Powertrain Warning Lamps	V
2.3b. Brake System Warning Lamp Remains Illuminated		2.7. Other Safety Systems	
2.4a. SRS Codes Present			

NOTES:

"一种"。"是是一些国际,但是1964年,	Section 3	-Interior			
Component	P F NA	Component	Р	F	NA
3.1. Doors		3.11. Instrument Panel Lamps	1		
3.2. Rear View Mirror		3.12. HVAC	√		
3.3. Sun Visors		3.13. Windshield Wiper and Washer Operation	1		
3.4. Horn	✓	3.14. Accelerator	1		
3.5. Seats	V	3.15. Service Brake Pedal	1	į	
3.6. Seatbelts	4	3.16. Clutch Pedal Assembly			/
3.7. Signal Lamp Switch and Indicator	1	3.17. Park Brake	1		
3.8. Hazard Lamps	4	3.18. Neutral Safety Switch Operation	1		
3.9. Headlamp Switch and High Beam Indicator	✓	3.19. Entertainment Display Lockout			1
3.10. Auxiliary Lamp Indicator(s)	1				

NOTES:

MOTOR VEHICLE RECORD OF INSPECTION

	Section	on 4 - Glass	
Component	P F	NA Component	P F NA
4.1a. Windshield Marked AS-1, AS-10, or AS-14	V	4.2b. Side Window Operation	7
4.1b. Windshield Condition	/	4.2c. Side Window Aftermarket Tint	
4.1e. Windshield Tinting / Decals	V	4.2d. Side Window Visibility (general)	-
4.1f. Windshield Visibility (general)	7	4.3a. Rear Window AS-1, AS-2, AS-3, AS-10, or AS-11	4
4.2a. Side Glass Marked AS-1, AS-2, AS-10, or AS-11	4	4.4a. Other Glass	V

NOTES:

	Section	on 5 ·	- Lamps			
Component	PF	NA	Component	P	F	NA
5.1. Lamps (general)	1		5.7. Front Side Reflectors	✓		
5.2. Daytime Running Lamps	1	<u> </u>	5.8. Rear Side Marker Lamps	1		
5.3. High Mount Brake Lamp			5.9. Rear Side Reflectors	1		
5.4. Headlamps	4	!	5.10. Licence Plate Lamp	1		
5.5. Auxiliary Lamps	1		5.11. Emergency Lighting	1		
5.6. Front Side Marker Lamps						l

NOTES:

$\mathbb{P}_{\mathbb{R}^{n}}$, which is $\mathbb{P}_{\mathbb{R}^{n}}$. Sec	tion	6 -	Exte	erior, General			
Component	P	F	NA	Component	P	F	NA
6.1. Fuel Cap	1			6.3. Bumpers	/		i .
6.2. General Body Condition	1			6.4. Aftermarket Equipment Installation			/

NOTES:

	Section	7 - U	Inder Hood		
Component	PF	NA	Component	P	F NA
7.1. Hood Latch Mechanism	/		7.7. Clutch Master Cylinder		-
7.2. Hood Prop / Struts	4		7.8. Fuel System	1	
7.3. Remote Starter Operation		1	7.9. Exhaust Manifold(s)	1	
7.4. Battery	1		7.10. Oil Leaks	1	
7.5. Accessory Belt Drive System	1		7.11. Engine and Transmission Mounts	1	
7.6. Brake Master Cylinder	1				

NOTES:

Sec	tion 8 - Ste	ering and Suspension		
Component	P F	NA Component	P F	NA
8.1. Wheel Bearings	4	8.8. Steering Gear	/	
8.2. Ball Joints (front and rear)		8.9. Rack & Pinion		/
8.3. Tie Rod Ends (inner and outer)	4	8.10. Power Steering System	4	
8.4. Pitman Arm	4	8.11. Control Arms	4	
8.5. Idler Arm	1	8.12. Struts and Shocks	4	
8.6. Steering Stabilizer / Damper	/	8.13. Springs	1	
8 7 Steering Shaft Assembly	1			1 1

NOTES:

MOTOR VEHICLE RECORD OF INSPECTION

Section 9 - Tires and Wheels								
Component	PF	NA	Component	P F NA				
9.1. Tread Depth-	V	9	9.4. Tire Serial Numbers & Dates of Manufacture	1				
LF:11 mm,RF:11 mm,LR:10 mm,RR:10 mm								
9.2. Tire Condition (general)	/	ç	9.5. Wheels	1				
9.3. Tire Size	-		9.6. Wheel Nuts and Studs					

NOTES:

TORQUE WHEELS 142LB/FT

	Section 10	- Brakes		
Component	P F NA	Component	PFN	A
10.1. Brakes (general)	~	10.6. Park Brake Drum Diameter- LR:295.12 mm,RR:295.12 mm	/	
10.2. Park Brake Lining- LR:4 mm,RR:4 mm		10.6. Brake Rotor Thickness- LF:29.52 mm,RF:29.55 mm	/	
10.2. Brake Lining- LF:8 mm,RF:8 mm,LR:4 mm,RR:4 mm		10.7. Brake Drum Condition (general)	✓	
10.3. Brake Lines and Hoses		10.8. Brake Rear Drum- LR:295.12 mm,RR:295.12 mm	✓	
10.4. Brake System Wiring		10.9. Park Brake	✓	1
10.5. Brake Rotor Condition (general)			<u> </u>	

NOTES:

a i i i i i i i i i i i i i i i i i i i	ction 11 - U	nder Vehicle
Component	P F NA	Component . P F NA
11.1. Bumpers	√	11.5. Drive Axles / Propeller Shafts
11.2. Engine	1	11.6. Floor Pan
11.3. Transmission / Transaxle / Transfer Case	1	11.7. Fuel System
11.4. Differential(s)	✓	11.8. Exhaust System

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #5777369) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2024/09/05	D0338	21037	Michaelfulacle
Customer Acknowledgment		W 2000	
	on identifies defects and repairs are re		Date (Year/Month/Day)
the initial inspection and only the	OI) may be presented to any Vehicle Ir failed items noted on this ROI are red	quired to be re-inspected. If the	2024/09/05
vehicle is not returned for re-insp must be conducted.	ection within 10 days of the initial dat	te of inspection, a new inspection	Customer Signature