

MOTOR VEHICLE RECORD OF INSPECTION

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Vehic	e Info	rmatio	n														
ΛΙΝ	W	В	Α	В	Α	7	3	1	X	N	E	J	1	3	9	2	0
Make					Model					Year			Odometer 142735				
BMW			3181			1992											
Susto	me r I r	ıforma	tion		111/95/90						(ı	1000		
			L	ast Nan	ne							F	irst Nar	ne			
					7												
						Add	Iress	-							Post	tal Code	
								4.			*	fs.					
			and the	-		184	Sec	tion 1 -	Pre-Insp	ection							
			Сотро	nent	2000			PF	NA			Compon	ent			P	FΛ
<u>1.1a.</u> R	equest f	or Inspe	ction (RFI)				/	1.3c.	1.3c. Vehicle Wanders or Pulls				✓			
1.1b. V	ehicle A	ccurately	/ Describe	ed On The	e RFI			/	1.3d.	1.3d. Brake System Performance				/			
		Condition					;	/	1.3e.	1.3e. Driveability			-				
1.2b. VI	N Cons	istent W	ith RFI						1.3f.	1.3f. Speedometer Operation					ő"		
1.3a. C	V Joint F	Road Te	st Result						1.3g.	Odomete	er (if equip	oped) Ope	eration				
		—	ad Test F	N					1							1 1	

NOTES:

Section	en 2 - Onbo	ard Diagnostic Systems	
Component	PF	NA Component	PFNA
2.1a. PCM Codes Present	/	2.4b. SRS Lamp Fails To Illuminate	V
2.1b. PCM (MIL, SES, etc) Lamp Fails To Illuminate	4	2.4c. SRS Lamp Remains Illuminated	√
2.2a. ABS Codes Present	/	2.4d. Airbag(s) Present	
2.2b. ABS Lamp Fails to Illuminate		2.4e. Airbag Cover Integrity	✓
2.2c. ABS Lamp Remains Illuminated		2.5. Electronic Stability Control (ESC)	<i>✓</i>
2.3a. Brake System Warning Lamp Fails to Illuminate	4	2.6. Powertrain Warning Lamps	✓
2.3b. Brake System Warning Lamp Remains Illuminated	1	2.7. Other Safety Systems	V
2.4a. SRS Codes Present	1		

NOTES:

	Se	etic	n 3	- Interior		
Component	P	F	NA	Component	P F	NA
3.1. Doors	1			3.11. Instrument Panel Lamps	/	
3.2. Rear View Mirror	1	.l		3.12. HVAC	√	
3.3. Sun Visors	1			3.13. Windshield Wiper and Washer Operation	/	
3.4. Horn	1			3.14. Accelerator	4	
3.5. Seats	1			3.15. Service Brake Pedal	√	
3.6. Seatbelts	1			3.16. Clutch Pedal Assembly	V	
3.7. Signal Lamp Switch and Indicator	1			3.17. Park Brake	/	
3.8. Hazard Lamps	1		<u> </u>	3.18. Neutral Safety Switch Operation	1	
3.9. Headlamp Switch and High Beam Indicator	1			3.19. Entertainment Display Lockout	/	
3.10. Auxiliary Lamp Indicator(s)	1					

NOTES:

MOTOR VEHICLE RECORD OF INSPECTION

S TO S	ection 9 -	Tires and Wheels	
Component	PF	NA Component	P F N
9.1. Tread Depth- LF:6 mm,RF:6 mm,LR:6 mm,RR:6 mm	V	9.4. Tire Serial Numbers & Dates of Manufacture	
9.2. Tire Condition (general)	1	9.5. Wheels	/
9.3. Tire Size		9.6. Wheel Nuts and Studs	1

NOTES:

	Section 1	0 - Brakes		
Component	PFN	A Component	Р	F NA
10.1. Brakes (general)		10.6. Park Brake Drum Diameter- LR:173 mm,RR:173 mm	 	
10.2. Park Brake Lining- LR:3 mm,RR:3 mm		10.6. Brake Rotor Thickness- LF:22 mm,RF:22 mm	*	
10.2. Brake Lining- LF:6 mm,RF:6 mm,LR:10 mm,RR:10 mm	/	10.7. Brake Drum Condition (general)	/	
10.3. Brake Lines and Hoses	4	10.8. Brake Rear Rotor- LR:10 mm,RR:10 mm	1	
10.4. Brake System Wiring	1	10.9. Park Brake	1	
10.5. Brake Rotor Condition (general)	4		11	15°C

NOTES:

	Section 1	1 - Under Vehicle	
Component	PF	NA Component	PFNA
11.1. Bumpers	1	11.5. Drive Axles / Propeller Shafts	
11.2. Engine	/	11.6. Floor Pan	/
11.3. Transmission / Transaxle / Transfer Case	/	11.7. Fuel System	
11.4. Differential(s)	/	11.8. Exhaust System	

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #5781675) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

2024/09/17			
stomer Acknowledgment			
d this Record of Inspection (RC	on identifies defects and repairs are re DI) may be presented to any Vehicle In	spection Facility within 10 days of	onth/Day)
e initial inspection and only the hicle is not returned for re-insp	failed items noted on this ROI are recetion within 10 days of the initial dat	quired to be re-inspected. If the	Customer Signature